

ANNEXURE - V

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2026 - 2027

Clinical Material in Hospital

Faculty Nursing

Name of College/Institute Vivekanand Nursing College, Hiwara Ashram

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Adequate / Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own / parent Hospital (Affiliated hospital must be 50 bedded or more.)	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.:	Adequate
b.	Student Bed Ratio for UG & PG to be verified: (As per MSR) 1:3	Adequate
c.	Average Bed Occupancy in % : (Minimum 75%) 85	
d.	Clinical facilities for PG to be verified : (As per MSR)	
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	Adequate
	<ul style="list-style-type: none"> • As per Central Council Norms/ University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark "Adequate" & do not attach any documents. • In case of "Inadequate", it must be mark as "Inadequate" with evidence. 	


 Principal
 Vivekanand Nursing College
 Hiwara Bk. Tq. Mehkar Dist. Buldana

Appendix III



महाराष्ट्र MAHARASHTRA

2024

11AB 982192

24 SEP 2024



अ.क्र. ८८७ दि.

मुद्रांक धेणताचे नाव विवेकानंद अश्रम हिवरा अश्रम त.मेहकार

राहणार हिवरा अश्रम त.मेहकार

हस्त अस्त्यास त्याचे नाव

मुद्रांक कशासाठी घेतला

सही

M. Janir M. Khalil
Stamp Vendar Mehkar
SV/L No. 1/01
No. 6307004

96

Reg. Sr. No. 01/10/2024
Stamp Aff. Rs. 25

ADV.G.P. AGRAWAL
Public NOTARY
Reg.No.912
Mehkar Dist. Buldana

MEMORANDUM OF UNDERSTANDING

This memorandum of understanding (MOU) entered into this 24 Day of September 2024 at Akola between Vivekanand Ashram Hiwara Ashram Tq.Mehkar dist.Buldana Maharashtra, Party of the first part and Dr. Deepak kelkar (Dr Kelkar Hospital, Psychiatrist, Sexologist, Hypnotherapist, Deaddiction specialist Hospital at Akola Dist.Akola of Psychiatrist Charitable trust at Akola. Dist.Akola Maharashtra party of the second part.

The parties are individually referred to as party and collectively as parties and where as the parties have had discussion for generation of said agreement and have reached on understanding on the following points with respect to the party's rights and obligations towards each other and their working relationship.

IT IS HEREBY AS MUTUAL UNDERSTANDING OF THE PARTIES AGREED AND DECLARED AS FOLLOWS:

We are the authority of Dr. Deepak kelkar (Dr Kelkar Hospital, Psychiatrist, Sexologist, Hypnotherapist, Deaddiction specialist Hospital at Akola hospital of Psychiatrist charitable trust (having registration No. 29127/10/10/2024 registered under Bombay Nursing Home Act 1949) willing to provide utilization of hospital for next Five years for training of students of Vivekanand College of Nursing Survey no. 23/1 C Hiwara Ashram Tq.Mehkar Dist.Buldana, Maharashtra india.



[Signature]
Principal
Vivekanand Nursing College
Hiwara Bk. Tq. Mehkar Dist. Buldana

Our hospital is in a radius of 70 Kms. From the College building. Our hospital having Psychiatrist ward of ~~5000~~ 5000 sq.ft. area (including fully equipped Psychiatrist Dept.) & our Hospital having capacity of ~~34924~~ 120 beds and the break up of beds is as follows

In witness there of the parties that the information provided is accurate and true and have caused this memorandum of understanding to be duly executed on the date and year above mentioned.

Witness

1.Hon Chairman,.....

Vivekanand Nursing Hospital first party

R.B. Malgani
Signature

Societies seal and stamp
PRESIDENT
Vivekanand Ashram
Tq. Mehkar, Dist. Buldana

2. Hon Chairman

Second party.

Amol Kelka
Signature

Hospital's seal and stamp
Dr. Amol Kelka
MD PSYCHIATR
MCI-11-41556



R. Pawaskar


Asha Kiran Hospital
Akot Road, Akola



96
D

ATTESTED BY
ADV. GOVIND P. AGRAVA
NOTTARY Reg No 915
Mehkar Dist Buldana

SEP 2024





Government of
Maharashtra



NATIONAL HEALTH MISSION, MAHARASHTRA
NHM
राष्ट्रीय आरोग्य अभियान
महाराष्ट्र

DEPARTMENT OF PUBLIC HEALTH

Certification Of Registration

Under the Bombay Nursing Homes Registration Act, 1949 and Maharashtra Nursing Home Regulation Rules Amendment 2021
(Under Rule 5)

This is to certify that

Shri. /Smt./Dr. **Dr Amol Deepak Kelkar** has been registered under the Bombay Nursing Homes Registration Act Amendment 1949 in respect of **SANMITRA MANAS HOSPITAL & VYASANMUKTI KENDRA** situated at **NEAR FCI GODOWN AKOT ROAD AKOLA AKOT ROAD AKOLA 444006** and has been authorized to carry on the said Nursing Home.

No. of Beds

A. Maternity Count	: 0
B. ICU(Adult) Count	: 4
C. ICU(Pediatric) Count	: 0
D. Other Count	: 71

Total : : 75

Registration Number	: MH/AMC/NH0726
Date of Registration	: 03-11-2025
Date of Issues Certificate	: 05-12-2025
Certificate is Valid upto	: 31-03-2028
Place	: AKOLA

T.P. Medical Officer of Health
Akola Municipal Corporation
Akola

Akola Municipal Corporation,

Principal
Vivekanand Nursing College
Atwara Bk. Ta. Mehkar Dist. Buldana

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0721-2563594,
0721-2563592
Fax: 0721-2563597
Website: <http://mpcb.gov.in>
Email: roamravati@mpcb.gov.in



Maharashtra Pollution
Control Board Sahkar
Surbhi Bapatwadi, Near
Vivekanand Colony,
Amravati-444606

GREEN/S.S.I

Date: 27/06/2025

No:- Format1.0/RO/UAN No.0000245940/CO/2506002905

To,
Kelkar Hospital
Ramdaspath, Akola.
Tq.& Dist. Akola.
Email:dkdeepakkelkar736@gmail.com
Contact No.:9822871455



Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000245940& BMW Auth No.
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 03/05/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-07-2020 To 31-07-2026**
2. HCF Area : - Plot Area 484.90 M² with Built-up area 449.40 M².
3. **Activities Included**
 - a. Total Number of Beds : **30 Nos.** (As per BNH certificate no. 60 valid upto 31-03-2027)
4. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 4 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
5. **Conditions under the Air (P&CP) Act,1981:-**

Principal

Vivekanand Nursing College
Hwara Bk. To Mehkar Dist. Buldana

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

7. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

8. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
9. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
 10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
 11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
 12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
 13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.

14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. You shall submit the bank guarantee of INR 20,000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



[Handwritten signature]
S. D. Patil

4b2c607c
d4d7d2be
af88226c
b7adf966
69e91a6a
4135a600
287f90bb
a9b772be

Signed by: Mr. S. D. Patil
Regional Officer
For and on behalf of
Maharashtra Pollution Control Board
roamravati@mpcb.gov.in
2025-06-27 12:44:38 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	17500.00	TXN2505000407	05/05/2025	Online Payment
2	51300.00	TXN2505001903	09/05/2025	Online Payment
3	10000.00	TXN2505001907	09/05/2025	Online Payment
4	30.00	TXN2505006185	28/05/2025	Online Payment

Copy to:

1. Regional Officer, MPCB, Amravati and Sub-Regional Officer, MPCB, Akola
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

[Handwritten signature]
Principal
Vivekanand Nursing College
-thwara Bk To Mehkar Dist Buldana

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	3.00
3.	Pathology Laboratory, Floor washing, Operation Theater	1.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	2.0	As per clause 'C'	100% Recycle
2	Trade effluent	0.5	As per clause 'C'	100% Recycle

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.



Principal
Vivekanand Nursing College
-Hwara Bk. Ta. Mehkar Dist. Buldana

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	1.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana Buldhana
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	2.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	1.00		
		f) Chemical Liquid Waste	10.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana Buldhana
3	White (Translucent)	Waste sharps including Metals	2.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana Buldhana
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana Buldhana
		b) Metallic body implants	0.00		

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).


 Principal
 Vivekanand Nursing College
 Hwara Bk. To Mehkar Dist. Buldhana

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	Towards compliance of conditions stipulated in combined consent & authorization	Continuous	20,000.00
Total			20,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.


The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.


Principal

Vivekanand Nursing College

Chwaga Bk. To. Mehkar Dist. Buldana

15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

No - 60



**Certificate of Registration Under Section 5 of
Maharashtra (Bombay)
Nursing Home Registration Act, 1949**

New Registration / Renewal

This is to certify that Dr. Amol Deepak Kelkar
(MBBS, MD, (Psychiatrist))
has been Registered under the Bombay Nursing Home Registration
Act, 1949 in respect of "KELKAR HOSPITAL" Akola
Ramday peth, Akola
and has been authorized to carry on the said Nursing Home.

Registration No. : MCI, 11-41556
No. of Beds : 30
1) For Maternity : -
2) Other Nursing Patients : -
Total Number of Beds : 30
Date of Issue of Certificate : 11/12/2024

This Certificate of Registration shall be valid upto MAR. 2027



Dated : 11/12/2024

[Signature]
Principal
Vivekanand Nursing College
Ahwara Bk. To. Mehkar Dist. Buldana

[Signature] 11/12/2024
Medical Officer of Health
Akola Municipal Corporation
Akola
Medical Officer of Health
Akola Municipal Corporation
Akola

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/M.S.I

Date: 01/12/2025

No:- Format1.0/PSO/UAN No.0000261620/CO/2512000026

To,
Sanmitra Manas Hospital & Vyasankukti Kendra (A
Unit of Navjeevan Manas Pvt Ltd)
,Near IFC Godawn, Akot Road, Akola.-444005
Email:sanmitramhvk@gmail.com
Contact No.:9049993104



Your Service is Our Duty



Combined Consent to Establish(expansion) , 1st Operate and BMW Authorization (CCA) for increasing beds from 45 beds to 75 beds under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.Format1.0/RO/UAN No.0000190678/CO/2403002554 dated 24/03/2024
 2. Refusal of CCA vide No No. BO/MPCB/PSO/Refusal/UAN No.0000250885/CO/2508001136 Date: 12/08/2025
 3. Your application for Combine Consent and Bio-Medical Waste Authorization dated 26/10/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Consent to Establish (Expansion), 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-10-2024** To **01-10-2028**
2. HCF Area : - Plot Area 1629.58 M² with Built-up area 1260.10 M².
3. **Activities Included**
 - a. Total Number of Beds : **75 Nos.** (As per BNH certificate no. 2017/02/0404 valid upto 31-12-2025)
4. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 26 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

Principal
Mukherjee Nursing College
Hwar B, Tal. Sion, Dist. Sion

10. Any u
condit
- You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 - You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

5. Conditions under the Air (P&CP) Act,1981:-

- You shall use the fuel for DG set as specified in the **Annexure-II**.
- You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
- You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge	-	As per Actual	MT/A	For gardening & manure

7. Conditions under Solid Waste Management rules 2016

- You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
- You shall Not mix general solid waste with Bio Medical Waste.

8. Conditions under BMW Management rules, 2016 (As Amended):-

- You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
- You shall segregate and handover BMW to BMW T&D CTF **M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
- Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
- Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

Waste disposal
Effluent

10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. You shall ensure segregation of biomedical waste strictly in accordance with Schedule-I of the Bio-Medical Waste Management Rules, 2016. The Sewage Treatment Plant (STP) shall be operated and maintained to consistently meet the prescribed discharge standards. Records of biomedical waste handed over to the Maharashtra Pollution Control Board (MPCB) authorized Common Bio-Medical Waste Treatment Facility (CBWTF) shall be meticulously maintained. The online Biomedical Waste Annual report shall be submitted to the prescribed authority on or before 30th June of every year of the preceding year.
17. As per your application, the laundry activity is outsourced. Therefore, you are strictly prohibited from conducting any laundry activity within the premises of your facility
18. You shall apply for renewal of this Combined Consent and Biomedical Waste Authorization 120 days before the lapse of validity . Failure to apply the penal fee will be applicable as per Board circular dated 28/04/2025.
19. You shall ensure that the hospital operates with a valid registration under the Bombay Nursing Home (BNH) Act and holds an active membership with a Common Biomedical Waste Treatment Facility (CBWTF).
20. You have paid the applicable penal fee of Rs. 20,357/-, (Rs. 5,357 paid on 13/11/2025, Rs. 7,500 paid on 14/11/2025, and the penal fee of Rs. 7,500 paid in the previous CCA application vide UAN No. MPCB-CONSENT-0000250885 (Transaction No. BHD5HZ500RZPFQ dated 28/06/2025), which was refused.)
21. You shall operate the hospital in strict compliance of Bio Medical Waste management Rules,2016 and CPCB guidelines.
22. You shall extend the existing Bank Guarantee of Rs. 50000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 15 days. Non submission of B.G. in specified time shall attract 12% BG interest on Bank Guarantee amount.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.


Principal
Vivekanand Nursing College
21/1, Fa. Mahkar Dist. Buidane



Ramdas

1396c0e7
7cc9d7eb
57b67349
0a64bd21
77135e39
1cc3e831
d0b26ecd
bcd7d9e9

Signed by: Dr. Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of
Maharashtra Pollution Control Board
ps@mpcb.gov.in
2025-12-01 11:44:32 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2510003873	26/10/2025	Online Payment
2	5357.00	TXN2511002352	13/11/2025	Online Payment
3	8811.00	TXN2511002469	14/11/2025	Online Payment
4	7500.00	TXN2511002470	14/11/2025	Online Payment

You had paid consent fee Rs. 30,000/- and Rs. 5000/- in the earlier application vide UAN No. MPCB-CONSENT-0000250885, vide transaction No. BHDFKR10018QME dated 20/06/2025 and Transaction No. BHD5ZHS00S07V6 dated 28/06/2025 respectively which was refused. After deducting one term fee of Rs. 15,000/-, the remaining Rs. 20,000/- is considered for this application.

Copy to:

1. Regional Officer, MPCB, Amravati and Sub-Regional Officer, MPCB, Akola
- Regional Officer, MPCB, Amravati directed to ensure that hospital shall submit the extended bank guarantees as per schedule-III within stipulated time and monitor the compliance
Sub Regional Officer, MPCB, Akola directed to monitor the compliance of CCA condition.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	22.00
3.	Pathology Laboratory, Floor washing, Operation Theater	4.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	19.8	As per clause 'C'	100% Recycle
2	Trade effluent	3.6	As per clause 'C'	100% Recycle

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical Waste Management Rules, 2016.



Principal
Vivekanand Nursing College
Hiwara Bk. To. Mehkar Dist. Buldana

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set (62.5 kVA)	Diesel	3.00 Ltr/Hr	4.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	16.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana Buldhana
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	50.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	50.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	120.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana Buldhana
3	White (Translucent)	Waste sharps including Metals	2.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana Buldhana
4	Blue	a) Glassware	4.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana Buldhana
		b) Metallic body implants	0.00		


Principal
Vivekanand Nursing College
Hware Bk. Tq. Mehkar Dist Buldhana

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

- 1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To comply the conditions mention in Combined Consent to Operate and BMW authorization	Continuous	50,000.00
Total			50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122


 Principal
 Vivekanand Nursing College
 Ahwara Bk. Tq. Mehkar Dist. Buldana

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.


14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



Principal

Vivekanand Nursing College
Amara Bk. To. Mehkar Dist. Buldana



ADV.G.P. AGRAWAL
Public NOTARY
Reg.No.912
Mehkar Dist.Buldana

2024

11AB 171886

72886 812455 23/11/2024
Reg.Sr.No. 108
Stamp Aff. Rs. 75
No. 12190
7005

MEMORANDUM OF UNDERSTANDING

This memorandum of understanding (MOU) entered into this 07 Day of Nov. 2024 at Vivekanand Ashram Hiwara Ashram Tq.Mehkar dist.Buldhana Maharashtra. Party of the first part and Govind Critical Care & Hospital Mehkar Tq. Mehkar dist.Buldhana Maharashtra party of the second part.

The parties are individually referred to as party and collectively as parties and where as the parties have had discussion for generation of said agreement and have reached on understanding on the following points with respect to the party's rights and obligations towards each other and their working relationship.

IT IS HEREBY AS MUTUAL UNDERSTANDING OF THE PARTIES AGREED AND DECLARED AS FOLLOWS:

We are the authority of Dr. Narendra Fiske (Govind Critical Care & Hospital Mehkar Tq. Mehkar dist. Buldhana registered under Bomby Nursing sing Home Act 1949. Willing to provide utilization of hospital for next Five years for training of students of Vivekanand Nursing College (Bsc Nursing) Survey no. 23/1 C Hiwara Ashram Tq.Mehkar Dist.Buldhana, Maharashtra India.



1
108
①


Principal
Vivekanand Nursing College
Hiwara Bk. To Mehkar Dist. Buldhana

Our hospital is in a radius of 15 Kms. From the College building. Our hospital having ward capacity of52..... beds and the break up of beds is as follows

Our hospital having capacity ofbeds & the break up of bed is as follows-

S.r.	Faculty	Intake (In beds)
1	Medical	20
2	Surgical	18
3	Obst. & Gynecology	02
4	Pediatrics	-
5	Ortho ICU	12
	Total	

In witness there of the parties that the information provided is accurate and true and have caused this memorandum of understanding to be duly executed on the date and year above mentioned.

Witness


1. Hon Chairman, Ratanlal Balkisan malpani

RBM Malpani
Signature

Societies seal and stamp

2. Hon Chairman Dr. Narendra Fiske

Second party.




108
①

Dr. Narendra Fiske
Signature

Hospital's seal and stamp
DR. NARENDRA G. FISKE
M.B.B.S., D.A. IDCCM, FICM
Reg. No. MCI/09-34220
Consultant Anaesthetist & Intensivist

ATTESTED BY ME ADV. GOVIND P. AGRAVA
Public NOTTARY Reg No 917
Mehkar Dist Buldana

E 7 NOV 2024 MEHNAIR



सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये दिलेले
रजिस्ट्रेशन / रिनिल सर्टिफिकेट

Certificate of Registration / Renewal under section 5 of the Bombay Nursing Homes
Registration Act, 1949 (नियम ५ अन्वये) (Under Rule 5)

क्रमांक

No.:DHB/ 4225/2025 / 26

दि बॉम्बे नर्सिंग होम अॅक्ट, १९४९ अन्वये डॉ. श्री/श्रीमती नरेंद्र गोविंद आप्पा

फिस्के यांचे गोविंद क्रिटिकल केअर अँड हॉस्पिटल
शिवाजीनगर, बुलढाना

येथील हॉस्पिटल / नर्सिंग होम / मॅटर्निटी होम रजिस्टर / रिनिल केले असून सदरचे हास्पिटल, नर्सिंग
होम व मॅटर्निटी होम चालविण्यास परवाना देण्यात येत आहे.

This is to certify that Shri/Shrimati. Dr. Narendra Govindappa
Fiske has been registered under the Bombay

Nursing Homes Registration Act, 1949 in respect of Govind critical Care &
Hospital, Shivaji Nagar, Buldhana Situated at Buldhana

and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्रमांक :

Registration No.

297

प्रसुतिसाठी कॉट्स

Maternity 02 Cots.

रजिस्ट्रेशन दिनांक :

Date Of Registration :

इतर रुग्णांसाठी कॉट्स

Other Nursing Patients 28 Cots.

रिनीवल दिनांक

Renewal :

0104.2028

ठिकाण :

Date :

Buldhana

सर्टिफिकेट दिल्याची दिनांक :

Date of issue of Certificate : 02.04.2028

सदरचे सर्टिफिकेट दिनांक ३१ मार्च पर्यंत कार्यवाहीत राहिल.

This Certificate Shall be Valid up to 31th March 2028.



Dr. Vivekanand
Civil Surgeon, Buldhana.

Civil Surgeon, Buldhana

Vivekanand
Principal

Vivekanand Nursing College
Bhware Bk. To Mehkar Dist. Buldhana



Maharashtra Pollution Control Board
महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Wise Ecocare and Farmtech Pvt Ltd
Plot E-35, MIDC Khamgaon,
Opp. Panchayat Samiti, Nandura Road, Khamgaon - 444303
Phone No:8806191947
Email Id:wise.ecocare@gmail.com



Unique Registration No.: MKHP0042



Offline QR code



Online QR code

Provisional Registration Certificate

Outward No : WEF/25-26/000250

Date 28-Jun-2025

This is to certify that **GOVIND CRITICAL CARE & HOSPITAL , SHIVAJI NAGAR MEHKAR, TQ-MEHKAR, DIST-BULDHANA -443301** is registered with Wise Ecocare and Farmtech Pvt Ltd, Khamgaon for Management of Bio Medical Waste in accordance with the provision of Bio Medical Waste Management Rules, 2016 as amended and in compliance with the provisions of CPCB guidelines

1 Authorized Person of HCE (Name and Designation)	DR. NARENDRA GOVINDAPPA FISKE OWNER
2 Bombay Nursing Home Act Registration Details	
a BNH Registration Number	DHB/4225/2025
b BNH Issue Date	02-Apr-2025
c Total Number of Beds	30
d BNH Validity(Form 'C')	31-Mar-2028
3 Common Treatment Facility Registration Details	
a Date of Registration	10-Jun-2023
b No. of Beds Registered	30
c Registration Validity	10-Jun-2026
4 Renewal of CTF Membership(if applicable)	
a Renewal Date	10-Jun-2026
b No. of Beds Registered	30
5 MPCB Consent (Establish/ 1 st Operate/Renewal) Details	
a Consent/ CCA Number	
b Issue Date	
d Validity up to	




For Authorised Signature

Name: Harshad J. Hend
Designation: Director

Note : HCE shall display copy of Registration Certificate at Front Desk and Temporary BMW storage area.

Vivekanand Nursing College
Atwara Bk. To. Mehkara Dist. Buldana



ADV.G.P. AGRAWAL
Public NOTARY
Reg.No.912
Mehkar Dist.Buldana
7 NOV 2024

2024

11AB 171884

अ.क्र. 77866 दि. 21/11/24
मुद्रांक घेणाराचे नांव डॉ.पंजाब शेजल वीवेकानंद हॉस्पिटल
राहणार डॉ.पंजाब शेजल वीवेकानंद हॉस्पिटल
हस्ते असल्यास त्याचे नाव डॉ.पंजाब शेजल वीवेकानंद हॉस्पिटल
मुद्रांक कशासाठी घेतला डॉ.पंजाब शेजल वीवेकानंद हॉस्पिटल
सही

Reg.Sr.No. 109
Stamp Aff. Rs. 25
No.12190
7005


MEMORANDUM OF UNDERSTANDING

This memorandum of understanding (MOU) entered into this 07 Day of Nov. 2024 at Vivekanand Ashram Hiwara Ashram Tq.Mehkar dist.Buldhana Maharashtra, Party of the first part and Matoshri Hospital Mehkar Tq. Mehkar dist.Buldhana Maharashtra party of the second part.

The parties are individually referred to as party and collectively as parties and where as the parties have had discussion for generation of said agreement and have reached on understanding on the following points with respect to the party's rights and obligations towards each other and their working relationship.

IT IS HEREBY AS MUTUAL UNDERSTANDING OF THE PARTIES AGREED AND DECLARED AS FOLLOWS:

We are the authority of Dr.Panjab Shejol (Matoshri Hospital Mehkar Tq. Mehkar dist. Buldhana registered under Bomby Nursing sing Home Act 1949. Willing to provide utilization of hospital for next Five years for training of students of Vivekanand College of Nursing (Bsc.Nursing) Survey no. 23/1 C Hiwara Ashram Tq.Mehkar Dist.Buldhana, Maharashtra India.




Principal
Vivekanand Nursing College
Hiwara Bk. Tq. Mehkar Dist. Buldana

Our hospital is in a radius of 15 Kms. From the College building. Our hospital having ward capacity of50..... beds and the break up of beds is as follows

Our hospital having capacity of 50 beds & the break up of bed is as follows-

S.r.	Faculty	Intake (In beds)
1	Medical	20
2	Surgical	10
3	Obst. & Gynecology	-
4	Pediatrics	10
5	Ortho	10
	Total	50

In witness there of the parties that the information provided is accurate and true and have caused this memorandum of understanding to be duly executed on the date and year above mentioned.

Witness


1. Hon Chairman, Ratanlal Balkisan Malpani

RBMalpani
Signature

Societies seal and stamp

2. Hon Chairman Dr. Panjab M. Shejoi

Second party.



109
①

Dr. Panjab M. Shejoi
Signature

Hospital's seal and stamp
Dr. Panjab M. Shejoi
M.B.B.S., M.U.H.S. (Nasik)
Diploma in Tuberculosis & Chest Disease
M.U.H.S. Nasik, I.T.L.S. (USA)
Ex-Junior Intensivist & Clinical Assistant Dr
L.H. Hiranandani Hospital, Pawai Mumbai
Reg.No. 2005/04/2396



ATTESTED BY ME

ADV. GOVIND P. AGRAVA
Public NOTARY Reg No 912

Mehkar Dist. Buldana

7 NOV 2024

MEHKAJ

सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये दिलेले
रजिस्ट्रेशन / रिनिल सर्टिफिकेट

Certificate of Registration / Renewal under section 5 of the Bombay Nursing Homes
Registration Act, 1949 (नियम ५ अन्वये) (Under Rule 5)

क्रमांक

No.:DHB/ 901/2023/120

दि बॉम्बे नर्सिंग होम अॅक्ट, १९४९ अन्वये डॉ. श्री/श्रीमती पंजाबराव माणिकराव

श्रीमती यांचे मातोश्री विठ्ठल देवरा व काळुश्याय हॉस्पिटल
येथील हॉस्पिटल / नर्सिंग होम / मॅटर्निटी होम रजिस्टर / रिनिल केले असून सदरचे हॉस्पिटल, नर्सिंग
होम व मॅटर्निटी होम चालविण्यास परवाना देण्यात येत आहे.

This is to certify that Shri/Shrimati. Dr. Panjabrao Manikrao
Shri. has been registered under the Bombay
Nursing Homes Registration Act, 1949 in respect of Matashree Critical
Care Buldhana Hospital. Situated at Mehkar
and has been authorised to carry on the said Nursing Home.

रजिष्ट्रेशन क्रमांक :

Registration No.

212

प्रसुतिसाठी कॉट्स

Maternity Cots.

रजिष्ट्रेशन दिनांक :

Date Of Registration :

इतर रुग्णांसाठी कॉट्स

Other Nursing Patients 50 Cots.

रिनिल दिनांक

Renewal :

01.04.2026

ठिकाण : Buldana

Date :

सर्टिफिकेट दिल्याची दिनांक :

Date of issue of Certificate :

31/5/2023


सदरचे सर्टिफिकेट दिनांक ३१ मार्च पर्यंत कार्यवाहीत राहिल.

This Certificate Shall be Valid up to 31th March 2026




Principal
Vivekanand Nursing College
Hwara Bk. To. Mehkar Dist. Buldana


जिल्हा शल्य चिकित्सक, बुलडाणा
Civil Surgeon, Buldana


Vivekanand Nursing College
Hwara Bk. To. Mehkar Dist. Buldana

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0721-2563594,
0721-2563592
Fax: 0721-2563597
Website: <http://mpcb.gov.in>
Email: roamravati@mpcb.gov.in



Maharashtra Pollution
Control Board Sahkar
Surbhi Bapatwadi, Near
Vivekanand Colony,
Amravati-444606

ORANGE/

Date: 08/12/2023

No:- Format1.0/RO/UAN No.0000187661/CO/2312000832

To,
M/s. Matoshree Critical Care and Bal Rugnalaya
,Ward No. 11,Behind Lahoti Complex Dongaon Road,
Near Janephal Phata, Mehkar,
Tq. Mehkar,dist. Buldhana.



Email:pmshejol81@gmail.com
Contact No.:9881168159

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000187661& BMW Auth No.
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 15/11/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **15-11-2023 To 30-11-2025**


Principal
Vivekanand Nursing College
Atwara Bk. Tq. Mehkar Dist. Buldana

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
 14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
 15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
 16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
 17. You shall submit the bank guarantee of INR 1.25 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



CSA Patil

216ba0b1
31E7c90e
bc39d90f
308e790b
62d236d9
4041bc30
826a963c
2a2e7ef1

Signed by: Mr. S. D. Patil
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
roomravati@mpcb.gov.in
2023-12-08 12:41:10 IST

Received Consent/Authorization fee of -

S. D. Patil
Principal
Vivekanand Nursing College
Aiwara Bk. Tq. Mehkar Dist. Buldana

S. D. Patil
Principal
Vivekanand Nursing College
Aiwara Bk. Tq. Mehkar Dist. Buldana



Vivekanand Ashram

VIVEKANAND NAGAR, Tq. - MEHKAR, DIST. BULDANA - 443301 MAHARASHTRA (India)
BOM. PUBLIC TRUST, REG. NO. F / 296 / BUL. SOC. REG. MAH / 219 / BUL



Puj. Shukdas Maharaj
FOUNDER & PRESIDENT

Date :

विवेकानंद आश्रम कार्यकारी मंडळाच्या सभेतील पारीत ठरावाची नकल.

विषय : संस्थेच्या विवेकानंद नर्सींग कॉलेज मधील विद्यार्थ्यांना विवेकानंद आश्रमाच्या १०० बेडेड हॉस्पिटल मध्ये प्रात्याक्षिकासाठी परवानगी बाबत.

सूचक : एस.टी. गोरे

अनुमो : ए.बी. थोरहाते

॥ ठराव क्र. १ ॥ विवेकानंद आश्रम द्वारा विवेकानंद नर्सींग कॉलेज चालविल्या जाते. सदर महाविद्यालयाच्या विद्यार्थ्यांना प्रात्याक्षिकासाठी संस्थेच्या १०० बेडेड विवेकानंद हॉस्पिटल मध्ये परवानगी बाबत विषय सभेसमोर आला. सभेतील विषयावर चर्चेअंती विवेकानंद आश्रमाच्या १०० बेडेडच्या विवेकानंद हॉस्पिटल मध्ये विवेकानंद नर्सींग कॉलेजच्या विद्यार्थ्यांना प्रात्याक्षिकाकरीता परवानगी देण्या बाबत ठराव सर्वानुमते संमत करण्यात आला.

- | | | |
|-------------------------|--------------|-----------------|
| १. श्री आर.बी.मालपाणी | -- अध्यक्ष | <i>RBMalani</i> |
| २. श्री ए.बी. थोरहाते | -- उपाध्यक्ष | <i>ABT</i> |
| ३. श्री एस.टी. गोरे | -- सचिव | <i>STG</i> |
| ४. श्री व्ही.बी. कुलवंत | -- सहसचिव | ----- |
| ५. श्री ए.पी. थोरहाते | -- सहसचिव | <i>APB</i> |
| ६. श्री पी.आर. आकोटकर | -- विश्वस्त | <i>PATKAR</i> |
| ७. श्री एन.एम. भारस्कर | -- विश्वस्त | <i>ENM</i> |

Principal
Principal

Vivekanand Nursing College
Hiwara Bk. Tq. Mehkar Dist. Buldana

Income Tax Exemption - U/S-80G.F.No. CIT-1/80G/V-502/06-07,PAN. AAATV5412B

Import-Export Code No. 0307010309, FCR No. 083790011,

E-mail : vivekanandashramhiwara@rediffmail.com Visit us at -www.vivekanandashram.com

Contact & Fax No. : 07268 - 264225 Mob.- 9767897307

Our hospital is in a radius of 0 Kms. From the College building. Our hospital having ward capacity of100..... beds and the break up of beds is as follows

Our hospital having capacity of 100 beds & the break up of bed is as follows-

S.r.	Faculty	Intake (In beds)
1	Medical	30
2	Surgical	30
3	Obst. & Gynecology	20
4	Pediatrics	10
5	Ortho	10

In witness there of the parties that the information provided is accurate and true and have caused this memorandum of understanding to be duly executed on the date and year above mentioned.

Witness

1. Hon Chairman, R. B. Malpani


RBMalpani
Signature

Vivekanand Nursing Hospital first party

Societies seal and stamp

2. Hon Chairman President Vivekanand Ashram
Secretary

Second party.




333
1

RBMalpani
Signature

Hospital's seal and stamp

ATTESTED BY ME ADV. GOVIND P AGRWAL 2022
Public NOTTARY Reg No 912
Mehkar Dist Buldana Mehkar

3 OCT 2022



सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये दिलेले
रजिस्ट्रेशन /रिनिवल सर्टिफिकेट

Certificate of Registration / Renewal under section 5 of the Bombay Nursing Homes
Registration Act, 1949 (नियम ५ अन्वये) (Under Rule 5)

क्रमांक

No.:DHB/ 861/ 2023 /20

दि बॉम्बे नर्सिंग होम अॅक्ट, १९४९ अन्वये डॉ. श्री/श्रीमती अश्वयुक्त विवेकानंद शास्त्र

हिवरा शास्त्र यांचे विवेकानंद हॉस्पिटल हिवरा शास्त्र ला

येथील हॉस्पिटल / नर्सिंग होम / मॅटर्निटी होम रजिस्टर / रिनिवल केले असून सदरचे हॉस्पिटल, नर्सिंग
होम व मॅटर्निटी होम चालविण्यास परवाना देण्यात येत आहे.

This is to certify that Shri/Shrimati. Dr. President Vivekanand Asharm
Hiwara Asharm has been registered under the Bombay
Nursing Homes Registration Act, 1949 in respect of Vivekanand Hospital
Hiwara Asharm situated at Mehkar
and has been authorised to carry on the said Nursing Home.

रजिष्ट्रेशन क्रमांक : प्रसुतिसाठी कॉट्स
Registration No. 243 Maternity 30 Cots.
रजिष्ट्रेशन दिनांक : इतर रुग्णांसाठी कॉट्स
Date Of Registration : Other Nursing Patients 70 Cots.

रिनीवल दिनांक
Renewal : 01.04. 2026

ठिकाण : Buldana
Date :

सर्टिफिकेट दिल्याची दिनांक :
Date of issue of Certificate : 18/4/ 2023

सदरचे सर्टिफिकेट दिनांक ३१ मार्च पर्यंत कार्यवाहीत राहिल.
This Certificate Shall be Valid up to 31th March 2026

SEAL

Hiwara Bk. To. Mehkar Dist. Buldana


Vivekanand Nursing College
Hiwara Bk. To. Mehkar Dist. Buldana

मि. शल्य चिकित्सक, बुलडाणा
Civil Surgeon, Buldana
(LSA)



Maharashtra Pollution Control Board
महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Wise Ecocare and Farmtech Pvt Ltd
Plot E-35, MIDC Khamgaon,
Opp. Panchayat Samiti, Nandura Road, Khamgaon - 444303
Phone No:8806191947
Email Id:wise.ecocare@gmail.com



WiSE

Unique Registration No.: HSHP0002



Offline QR code



Online QR code

Provisional Registration Certificate

Outward No.: WEF/25-26/000894

Date: 26-Nov-2025

This is to certify that **VIVEKANAND HOSPITAL, HIWARA ASHARAM , AT POST:- HIWARA ASARAM, TQ-MEHKAR, DIST-BULDHANA -443301** is registered with Wise Ecocare and Farmtech Pvt Ltd, Khamgaon for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1. Authorized Person of HCE (Name and Designation)	DR. SANTOSH TUKARAM GORE OWNER
2. Bombay Nursing Home Act Registration Details	
a. BNH Registration Number	DHB/131/2020/20
b. BNH Issue Date	28-Sep-2020
c. Total Number of Beds	100
d. BNH Validity(Form 'C')	31-Mar-2023
3. Common Treatment Facility Registration Details	
a. Date of Registration	01-Jul-2023
b. No. of Beds Registered	100
c. Registration Validity	01-Jul-2026
4. Renewal of CTF Membership(if applicable)	
a. Renewal Date	01-Jul-2026
b. No. of Beds Registered	100
5. MPCB Consent (Establish/ 1 st Operate/Renewal) Details	
a. Consent/ CCA Number	
b. Issue Date	
c. Validity up to	

**CHETAN
JANARDHAN
HEND**

Digitally signed by
CHETAN JANARDHAN
HEND
Date: 2025.11.26
15:24:34 +05'30'


For Authorised Signature

**Name: Harshad J. Hend
Designation: Director**



Note : HCE shall display copy of Registration Certificate at Front Desk and Temporary BMW storage area.

Vivekanand Nursing College
Hiwara Bk. To. Mehkar Dist. Buldana



INDIA FIRE & SAFETY SERVICES

WE UNDERTAKE MAINTENANCE, REFILLING & SUPPLY OF ALL TYPES OF FIRE AND SAFETY EQUIPMENTS

AN ISO : 9001:2015 CERTIFIED COMPANY

Karanja Chowk, Police Ground Road, BULDANA - 443 001

Office PH.No. (07262) 241004 Mobile : 8275355304, 8378048136 Email : devamorey456@gmail.com

No. 1357

Date : 27/06/2024



CERTIFICATE

Certified that your following Fire extinguisher have been tested to their specification and recharged. The equipment mentioned below are Fire worthy :

Sr.No.	Type & capacity	Quantity	Result
1.	Water CO ₂ Fire extinguisher 9 liter	—	—
2.	CO ₂ type Fire extinguisher 4.5 kgs	—	—
3.	4 Kg ABC type Fire extinguisher	—	—
4.	6 Kg ABC type Fire extinguisher	4	S
5.	9 Kg ABC type Fire extinguisher	—	—
6.	9 Kg DCP type Fire extinguisher	—	—

Note : "S" = Serviceable

VALID FORM 27/06/2024 TO 26/06/2025

To, M/S विवेकानंद नर्सिंग कालेज
नि. बुलडाना

Principal
Vivekanand Nursing College
Hinjra Bk. To Mehkar Dist Buldana

INDIA FIRE & SAFETY SERVICES
Karanja Chowk, Police Ground Road
Buldana-443001
Mob.No.8275355304

Principal

Vivekanand Nursing College
Hinjra Bk. To Mehkar Dist Buldana



उपकोषागार अधिकारी
महाराष्ट्र MAHARASHTRA
16 OCT 2024
उपकोषागार अधिकारी
मेहकार

2024

11AB 171885

112

अ.सं. 97866 व. 11991028
मुद्रांक धेगादाचे नांव जिवेकानंद विवेकानंद अश्रम
राहणार
हरजे अरावत्यास त्याचे नांव जिवेकानंद अश्रम
मुद्रांक कशाभाडी घेतला
वती

Reg. Sr. No. 112
Stamp Rs 25
Jivkanand Nursing College
Mehkar
No. 22199
7003

MEMORANDUM OF UNDERSTANDING

ADV. G. P. AGRAWAL
Public NOTARY
Reg. No. 912
Mehkar Dist. Buldhana


1 NOV 2024

This memorandum of understanding (MOU) entered into this 09 Day of Nov. 2024 at Vivekanand Ashram Hiwara Ashram Tq. Mehkar Dist. Buldhana Maharashtra, Party of the first part and Gov. Sub. District Hospital Mehkar Tq. Mehkar Dist. Buldhana Maharashtra party of the second part.

The parties are individually referred to as party and collectively as parties and whereas the parties have had discussion for generation of said agreement and have reached on understanding on the following points with respect to the party's rights and obligations towards each other and their working relationship.

IT IS HEREBY AS MUTUAL UNDERSTANDING OF THE PARTIES AGREED AND DECLARED AS FOLLOWS:

We are the authority of Medical Superintendent (Gov. Sub. District Hospital Mehkar Tq. Mehkar dist. Buldhana registered under Bomby Nursing sing Home Act 1949. Willing to provide utilization of hospital for next Five years for training of students of Vivekanand College of Nursing (B.Sc. Nursing) Survey no. 23/1 C Hiwara Ashram Tq. Mehkar Dist. Buldhana, Maharashtra India.



112
①

[Signature]
Principal
Vivekanand Nursing College
Hiwara Bk. Tq. Mehkar Dist. Buldhana

Our hospital is in a radius of 15 Kms. From the College building. Our hospital having ward capacity of30..... beds and the breakup of beds is as follows

Our hospital having capacity of beds & the breakup of bed is as follows-

S.r.	Faculty	Intake (In beds)
1	Medical	20
2	Surgical	-
3	Obst. & Gynecology	10
4	Pediatrics	
5	Ortho	
	Total	30

In witness there of the parties that the information provided is accurate and true and have caused this memorandum of understanding to be duly executed on the date and year above mentioned.

Witness

1. Hon Chairman, Ratanlal Balkisan Malpani.....

RBMalpani
Signature

Vivekanand Nursing College first party

Societies seal and stamp

VIVEKANAND NURSING COLLEGE
Vivekanand Ashram
Tal. Nandgaon, Dist. Buldhana


\$

2. Hon Chairman Dr. Amit Dhande.....

Second party.



for Balkar
Signature

Medical Superintendent CL-1
Rural Hospital, Mehkar
Dist. Buldhana



1
112
1

ATTESTED BY ME Adv. Govind R. Agrawal
ADV. GOVIND R. AGRAWAL
Public NOTTARY Reg No 912
Mehkar Dist Buldhana
11 NOV 2024
Mehkar



 <p>सार्वजनिक आरोग्य विभाग महाराष्ट्र शासन</p>	 <p>आरोग्य सेवा महाराष्ट्र शासन</p>	
<p>कार्यालय :- वैद्यकीय अधीक्षक, ग्रामिण रुग्णालय, मेहकर मेहकर जि. बुलढाणा दुरध्वनी क्रं. ०७२६८ - २४६५२० ईमेल आयडी</p>	<p>जा.क्र./ग्रा.रु.मेहकर/आस्था/नर्सींग स्कूल परवानगी देणे वा/ /२०२१ कार्यालय :- वैद्यकीय अधीक्षक, ग्रामिण रुग्णालय, मेहकर दिनांक :- २८/०७/२०२१</p>	


✓ प्रती,
अध्यक्ष
विवेकानंद आश्रम हिवरा आश्रम ता.मेहकर
जि.बुलढाणा

विषय:- विवेकानंद आश्रमद्वारा संचालित प्रस्तावित नर्सींग कॉलेज मधील वि.एस.सी.नर्सींग स्कूल
च्या विद्यार्थ्यांना प्रात्यक्षिकासाठी परवानगी वावत...
संदर्भ:- आपले कार्यालयीन पत्र क्रमांक दिनांक २/०७/२०२१

वरील संदर्भिय विषयान्वये कळविण्यात येते कि ग्रामिण रुग्णालय मेहकर जि.बुलढाणा येथे विवेकानंद
आश्रमद्वारा संचालित प्रस्तावित नर्सींग कॉलेज मधील वि.एस.सी.नर्सींग स्कूल च्या विद्यार्थ्यांना प्रात्यक्षिकासाठी वरील
संदर्भ नुसार ग्रामिण रुग्णालयात परवानगी मागीतलेली आहे.

तरी आपणास ह्या पत्राद्वारे कळविण्यात येते कि ग्रामिण रुग्णालय मेहकर जि.बुलढाणा येथे विवेकानंद
आश्रम द्वारा संचालित प्रस्तावित नर्सींग कॉलेज मधील वि.एस.सी.नर्सींग स्कूल च्या विद्यार्थ्यांना प्रात्यक्षिकासाठी ह्या
कार्यालयाकडून परवानगी देण्यात येत आहे.

तरी आपल्या माहिती करीता तथा पुढिल कार्यवाही करीता रवाना.




Medical Superintendent CL-1
Rural Hospital, Mehkar
Dist. Buldhana
ग्रामिण रुग्णालय मेहकर

प्रतिलिपी:-

१. मा.जिल्हा शल्य चिकित्सक सामान्य रुग्णालय बुलढाणा यांना माहिती करीता सविनय सादर.


Principal
Vivekanand Nursing College
Hivara Bk. To Mehkar Dist. Buldhana

३० खाटांचे ग्रामीण रुग्णालय, मेहकर जि. बुलढाणा चे १०० खाटांचे उपजिल्हा रुग्णालय श्रेणीवर्धीत इमारत बांधकामाच्या अंदाजपत्रक व आराखड्यांना प्रशासकीय मान्यता देण्याबाबत.

महाराष्ट्र शासन
सार्वजनिक आरोग्य विभाग
शासन निर्णय, क्रमांक: प्रशामा २०२४/प्र.क्र.३६/आरोग्य ३
१० वा मजला, संकुल इमारत,
जी.टी. रुग्णालय आवार, मुंबई - ४०० ००१.
दिनांक : ०७ जून, २०२४.

वाचा :

१) आयुक्त आरोग्य सेवा तथा अभियान संचालक मुंबई यांचे पत्र क्रमांक : आआसे/कक्ष-३/टे-६/मेहकर१००खाटांबांधकाम/२४७६-७७/२४, दिनांक १३.०२.२०२४.


प्रस्तावना :

३० खाटांचे ग्रामीण रुग्णालय मेहकर जि. बुलढाणा चे १०० खाटांच्या उप जिल्हा रुग्णालय श्रेणीवर्धीत इमारत बांधकामाच्या रु.४४५६.०० लक्ष किंमतीच्या अंदाजपत्रक व आराखड्यांना प्रशासकीय मान्यता देण्याचा प्रस्ताव शासनाच्या विचाराधीन होता. त्याबाबत पुढील प्रमाणे निर्णय घेण्यात आला आहे.

शासन निर्णय :

३० खाटांचे ग्रामीण रुग्णालय मेहकर जि. बुलढाणा चे १०० खाटांच्या उप जिल्हा रुग्णालय श्रेणीवर्धीत इमारत बांधकामाचे अंदाजपत्रक सन २०२२-२३ च्या दरसूचीवर आधारित आहे. कार्यकारी अभियंता, सार्वजनिक बांधकाम विभाग, बुलढाणा यांनी तयार केले आहेत. सदर अंदाजपत्रकामध्ये ४ टक्के आकस्मिक खर्च, १ टक्के विमा, १८ टक्के जी.एस.टी., ५ टक्के भाववाढ ची तरतूद करण्यात आली आहे. प्रस्तावित इमारत S+G+२+Kitchen+Renovation of existing ३० bedded hospital असे असून इमारतीचे एकूण क्षेत्रफळ १००६६.७५ चौ.मी. आहे. सदर क्षेत्रफळ मंजूर टाईप प्लाननुसार गृहीत धरण्यात आले आहेत. बांधकामाचा दर रु.२८०००/- प्रति चौ.मी. आहे. अधिक्षक अभियंता, सार्वजनिक बांधकाम मंडळ, अकोला; मुख्य अभियंता सार्वजनिक बांधकाम प्रादेशिक विभाग,




Principal
Vivekanand Nursing College
Buldana Dist. Buldana

अमरावती, व जिल्हा शल्य चिकित्सक, बुलढाणा यांनी प्रमाणित केले आहे. त्यानुसार सोबत जोडण्यात आलेल्या Recapitulation sheet नुसार रुपये ४४५६.०० लक्ष इतक्या रकमेच्या अंदाजपत्रक व आराखड्यांना खालील अटी व शर्तीच्या अधिन राहून या शासन निर्णयान्वये प्रशासकीय मान्यता देण्यात येत आहे :-

अटी व शर्ती :-

- १) कामासाठी निविदा मागविण्याआधी सदर कामास सार्वजनिक बांधकाम विभागातील सक्षम अधिकाऱ्यांची तांत्रिक मंजूरी घेणे आवश्यक राहिल.
- २) बांधकाम सुरु करण्यापुर्वी सदर नकाशा वास्तुशास्त्रज्ञ, सा.बां.विभाग नाशिक यांचेकडून मंजूर करून घ्यावे.
- ३) सदर कामाची निविदा काढतांना प्रत्येक कामाची स्वतंत्रपणे निविदा न काढता नमूद सर्व कामांसाठी एकच निविदा काढण्यात यावी.
- ४) इमारतीचे जाते क्षेत्रफळ व शासकीय इमारती यांच्या अनुज्ञेय मानकाप्रमाणे असल्याच्या तसेच हे काम खाजगी वास्तुशास्त्रज्ञाकडून करण्यात येत असल्याने, त्या इमारतीचे आराखडे हे सार्वजनिक बांधकाम विभाग/ शासकीय इमारतीच्या अनुज्ञेय मानकास अनुसरून असण्याची खातरजमा करण्याच्या तसेच अशा नकाशांना व वास्तुमांडणी आराखड्यास शासनाच्या वास्तुशास्त्रज्ञ यांची मान्यता घेणे आनिवार्य आहे.
- ५) इमारतीचे बांधकाम IPHS २०२२ च्या मार्गदर्शक सूचनानुसार मुख्य वास्तुशास्त्रज्ञ, मुंबई यांनी तयार केलेल्या नकशानुसारच करण्यात यावे.
- ६) सदरचे अंदाजपत्रक हे ढोबळ नमुना अंदाजपत्रक असल्याने, या कामांच्या सविस्तर अंदाजपत्रकांना तांत्रिकदृष्ट्या मान्यता ही सार्वजनिक बांधकाम खात्याच्या त्यात्या- क्षेत्राच्या सक्षम अधिकाऱ्यांकडून करण्यात येईल. अशी तांत्रिक मान्यता करित असताना आरोग्य खात्याच्या त्यात्या- आरोग्य सेवा मंडळाच्या उप संचालकांच्या सहमतीने तरतुदी अंतिम करण्यात याव्यात.
- ७) सदरचे काम नवीन नमुना नकाशांप्रमाणे करावयाचे झाल्यास सार्वजनिक आरोग्य विभागाने नियुक्त केलेल्या खाजगी वास्तुशास्त्रज्ञामार्फत नकाशांप्रमाणे वास्तुमांडणी आराखडा मंजूर करून घेण्यात यावा. तसेच स्थानिक ग्रामीण नगर विकास संस्थेच्या संबंधित नियमानुसार बांधकाम परवानगी तसेच भोगवटा प्रमाणपत्र मिळविण्याची जबाबदारी सदर नवनियुक्त वास्तुशास्त्रज्ञ व जिल्हा शल्य चिकित्सक यांची राहिल. तसेच ही परवानगी मागण्यासाठीचा पत्रव्यवहार जिल्हा शल्यचिकित्सक यांच्या स्वाक्षरीने करण्यात यावा.
- ८) सार्वजनिक बांधकाम विभागाच्या मुख्य/ उपमुख्य वास्तुशास्त्रज्ञाकडून या कामांच्या नकाशे व वास्तुमांडणी आराखड्यांना वेगळ्या मंजूरीची आवश्यकता नाही.




Principal
Vivekanand Nursing College
Buldana

९) प्रत्यक्ष काम करतेवेळी पर्यावरण विभाग, शासन निर्णय क्र.इएनव्ही-२०१३/प्र.क्र.१७७/तां.क.१ दि. १० जानेवारी, २०१४ मध्ये उल्लेख करण्यात आलेल्या मार्गदर्शक तत्वांनुसार कार्यवाही करण्यात यावी.

१०) उपरोक्त कामे सदर रक्कमेत पूर्ण होतील यांची दक्षता घ्यावी.

उपरोक्त अ.क्र. १ ते १० मध्ये नमूद करण्यात आलेल्या अटी व शर्तीची पूर्तता करण्याची जबाबदार संबंधित कार्यकारी अभियंता तसेच जिल्हा शल्य चिकित्सक यांची राहिल.

३. ३० खाटांचे ग्रामीण रुग्णालय मेहकर जि. बुलढाणा चे १०० खाटांच्या उप जिल्हा रुग्णालय श्रेणीवर्धीत इमारत बांधकामावरील खर्च मागणी क्रमांक- एच- ८, मुख्यलेखाशिर्ष "४२१०- वैद्यकीय सेवा व सार्वजनिक आरोग्य सेवा यावरील भांडवली खर्च, ०१- नागरी आरोग्य सेवा (वैद्यकीय सहाय्य)- पंचवार्षिक योजनांतर्गत योजना- इमारती, ११०- रुग्णालय व दवाखाने, (१)(अ) पंचवार्षिक योजनांतर्गत योजना- इमारती, (००)(०१) मोठी बांधकामे (४२१०००१४), ५३- मोठी बांधकामे" याखाली भागविण्यात येईल.

४. ३० खाटांचे ग्रामीण रुग्णालय मेहकर जि. बुलढाणा चे १०० खाटांच्या उप जिल्हा रुग्णालय श्रेणीवर्धीत इमारत बांधकामासाठी लागणाऱ्या रकमेची अर्थसंकल्पात तरतूद करण्याचा प्रस्ताव आयुक्त, आरोग्य सेवा, मुंबई यांनी त्वरीत शासनास सादर करावा.

५. हे आदेश शासन निर्णय, वित्त विभाग, क्रमांक- विअप्र २०१३/प्र.क्र.३०/विनियम, दिनांक १७.०४.२०१५ सोबतच्या परिशिष्ट, भाग पहिला, उपविभाग-पाच मधील अनुक्रमांक-१, परिच्छेद क्रमांक- १३४ अन्वये प्रशासकीय विभागांना प्रदान करण्यात आलेल्या अधिकारान्वये तसेच सार्वजनिक बांधकाम विभागाचा अनौपचारिक संदर्भ क्र.१०२/२०२४/इमा-२ दि.०४.०३.२०२४ अन्वये व सदर कामास दिनांक ११.०३.२०२४ रोजी झालेल्या उच्चस्तरीय समितीने दिलेल्या मान्यतेच्या अनुषंगाने निर्गमित करण्यात येत आहे.

सदर शासन निर्णय महाराष्ट्र शासनाच्या www.maharashtra.gov.in या संकेतस्थळावर उपलब्ध करण्यात आला असून त्याचा संकेतांक २०२४०४१८१८३५४५२४१७ असा आहे. हा आदेश डिजीटल स्वाक्षरीने साक्षांकित करुन काढण्यात येत आहे.

महाराष्ट्राचे राज्यपाल यांच्या आदेशानुसार व नावाने,



**KAVITA
PRADIP
PISE**

Digitally signed by KAVITA PRADIP PISE
DN: c=IN, o=GOVERNMENT OF
MAHARASHTRA, ou=PUBLIC HEALTH
AND FAMILY WELFARE DEPARTMENT,
2.5.4.20=89514643ba3105440c03294
31440e8333ab89578925b2477d3806
1e5d4e487, postalCode=400032,
st=Maharashtra,
serialNumber=ALEP37624AA6E5EA1A
AA99D244C6C2A3F135097E5C07486A
35D423833B4EC726, cn=KAVITA
PRADIP PISE
Date: 2024.06.07 17:00:45 +05'30'

(क. प्र. पिसे)

अवर सचिव, महाराष्ट्र शासन.

प्रत,

१. महालेखापाल, महाराष्ट्र- १/ २ (लेखा परिक्षा / लेखा व अनुज्ञेयता), मुंबई/नागपूर

पृष्ठ ४ पैकी
Principal
Mvekanand Nursing College
Ambar Bk. Ta. Mehkar, Dist. Buldana

२. सचिव (बांधकामे) सार्वजनिक बांधकाम विभाग, मंत्रालय मुंबई.
३. संचालक, आरोग्य सेवा, मुंबई.
४. जिल्हाधिकारी, बुलढाणा
५. मुख्य कार्यकारी अधिकारी, जिल्हा परिषद, बुलढाणा
६. संनियंत्रक तथा मुख्य अभियंता, सार्वजनिक बांधकाम विभाग, अमरावती.
७. सह संचालक, आरोग्य सेवा (रुग्णालये), मुंबई.
८. उप संचालक, आरोग्य सेवा मंडळ, अकोला.
९. जिल्हा शल्य चिकित्सक, जिल्हा रुग्णालय, बुलढाणा.
१०. कार्यकारी अभियंता, सार्वजनिक बांधकाम विभाग, बुलढाणा.
११. जिल्हा कोषागार अधिकारी, जि. बुलढाणा.
१२. सार्वजनिक बांधकाम विभाग (इमा-२), मंत्रालय, मुंबई.
१३. कक्ष अधिकारी (अर्थसंकल्प), सार्वजनिक बांधकाम विभाग, मंत्रालय, मुंबई.
१४. निवडनस्ती (आरोग्य-३).



Principal

Vivekanand Nursing College
-Hwara Bk. To Mehkar Dist Buldana



Vivekanand Nursing College
-Hwara Bk. To Mehkar Dist Buldana

Name of the Department : Public Health Department

Name of Work : Upgradation of 30 bedded Rural Hospital to 100 bedded Sub District Hospital
at Mehkar Dist - Buldhana.

Executing Agency : Public Works Department

Land Availability : Yes

Architect : Government

RECAPITULATION SHEET

Sr. No.	Particulars of Scope	Unit Rate Norms		Cost Rs	
		Rs Per (Sqmt./ Meter/ LumpSum etc.)		Component Wise	Total
(A) ESSENTIAL ITEMS (Components)					
1	Building proper (Built Up Area - Sq.m)				
	Stilt Parking	2612.12	Sq M	16,000	4,17,93,920
	Ground Floor	2612.12	Sq M	28,000	7,31,39,360
	First Floor	2612.12	Sq M	28,000	7,31,39,360
	Second Floor	1425.67	Sq M	28,000	3,99,18,760
	Kitchen	134.13	Sq M	28,000	37,55,640
	Renovation of Existing 30 bedded Hospital	670.59	Sq M	18,000	1,20,70,620
	Total B.U.A. =	10066.75	Sq. M		Sub Total (A1)
					24,38,17,660
2	Electrification			5% of (A1)	1,21,90,883
				6% of (A1)	1,46,29,060
	Fire Fighting Arrangements etc.			@800/Sq.mt	80,53,400
	Lifts	2		25,00,000	50,00,000
	Air Conditioning (for operation theatre)			L S	25,00,000
	Medical Gas Pipeline			L S	1,00,000
	Pump house, bore well etc			L S	5,00,000
	AB Room, Area Lighting, pump, Generator			L S	15,00,000
	CCTV			L S	10,00,000
					Sub Total (2)
					4,54,73,343
3	Water Supply & Sanitary Works			5% of (A1)	Sub Total (3)
					1,21,90,883
4	Furniture	5218.24	Sq. M	5000	Sub Total (4)
					2,60,91,205
					Sub Total (A)
					32,75,73,091
(B) MISCELLANEOUS ITEMS					
	Compound Wall & Gate (Rmt)	400.00		8,000.00	32,00,000
	Water Main Storage	100000	Litres	23	23,00,000
	Internal road, Land Development, Parking, Land Scaping, Soil Investigation etc			4.5% of (A1)	1,09,71,795
	Retaining Wall			L S	25,00,000
	Modular O T			L S	50,00,000
					Sub Total (B)
					2,39,71,795
Project Cost (P) = (A) + (B)					35,15,44,885
(C) PROVISIONS					
	(i) Contingencies	4%	on (sub total A1)		97,52,706
	(ii) GST	18%	on (P)		6,32,78,079
	(iii) Price Escalation	5%	on (P)		1,75,77,244
	(iv) Labour Insurance	1%	on (P)		35,15,449
					Sub Total (C)
					9,41,23,479
TOTAL PROJECT COST (TPC) (A+B+C)					44,56,68,364
Say Rs. Lakhs					4456.68

1	Bldg Civil (A1)	=	Rs	24,220 /Sqm
2	Bldg Civil, Elect, Water Supply, Furniture (A)	=	Rs	32,540 /Sqm
3	Total (A+B)	=	Rs	34,921 /Sqm




Principal
 Vivekanand Nursing College
 Hirwara Bk. Tq. Mehkar Dist. Buldhana



महाराष्ट्र MAHARASHTRA
उप कांशिर कार्यालय
महकर
20 JAN 2026
उप कांशिर अधिकारी
महकर

2025

48AB 805194

क्र.क. ६००८ दि. 20 JAN 2026
मुद्रांक घेणाराचे नाव
राहणार
हरते असल्यास स्वतः
मुद्रांक कशासाठी घेतला
सही

सचिव,
विवेकानंद आश्रम, विवेकानंद क्लब
ता.महकर जि.बुलडाना

M. Janir M. Khali
Stamp Vendar Menkar
SV/L No.1/91
No.6307004

MEMORANDUM OF UNDERSTANDING

This memorandum of understanding (MOU) entered into this 05 Day of January 2026 at Vivekanand Ashram, Hiwara Ashram, Tq.Mehkar Dist.Buldana Maharashtra, Party of the first part and Dr. VIVEK C. KAPSE (Vatsalya Balragnalay) at Mehkar Tq. Mehkar dist.Buldana, Maharashtra party of the second part.

The parties are individually referred to as party and collectively as parties and where as the parties have had discussion for generation of said agreement and have reached on understanding on the following points with respect to the party's rights and obligations towards each other and their working relationship.

IT IS HEREBY AS MUTUAL UNDERSTANDING OF THE PARTIES AGREED AND DECLARED AS FOLLOWS:

We are the authority of President Vivekanand Ashram (Dr. VIVEK C. KAPSE (Vatsalya Balragnalay) at Mehkar Dist.Buldana registered under Bomby Nursing sing Home Act 1949. Willing to provide utilization of hospital for next Five years for training of students of Vivekanand College of Nursing (B.Sc.Nursing) Survey no. 23/1 C Hiwara Ashram Tq.Mehkar Dist.Buldana,Maharashtra india.

NOTARY
S.M.Waghmare
Reg.No.40944
Valid Date
02/20/26
Mehkar Dist. Buldana
Reg.No.40944

NOTED & REGISTERED
Serial No. 58
Document Page 01
Date: 5/02/28

Vivekanand Nursing College
Hiwara Bk. Tq. Mehkar Dist. Buldana

NOTED & REGISTERED
 Sr.No. 115 Page No. 5B
 Document Pages 02
 Date: 5/02/20

Our hospital is in a radius of 10 Kms. From the College building. Our hospital having ward capacity of beds and the break up of beds is as follows

Our hospital having capacity of ----- beds & the break up of bed is as follows-

S.r.	Faculty	Intake (In beds)
1	NICU/PICU	5 / 4
2	Pediatrics Ward	21
3	OPD	
4	Obs / Gyna.	10
5		

In witness there of the parties that the information provided is accurate and true and have caused this memorandum of understanding to be duly executed on the date and year above mentioned.

Witness

1. Hon Chairman / Secretary Santosh Tukaram Gore

Vivekanand Ashram, Hiwara Ashram first party

Signature
SECRETARY
 Vivekanand Ashram
 Sodheswar and
 Ta. Mehkar Dist. Buldana

2. Hon Chairman DR. VIVEK C. KAPSE

Second party.



RECEIVED
 Adv. Sandip M. Waghmare
 NOTARY, GOVT OF INDIA
 Mehkar, Dist-Buldana
 Adv. Sandip M. Waghmare
 NOTARY
 Mehkar, Dist-Buldana
 Reg. No. 409-4



Signature
 Hospital's seal and stamp

डॉ. विवेक चंद्रशेखर कापसे
 MBBS, DCH, PGPN (USA)
 राज. क्र. 2015/09/4700
 बालरोग व नवजात शिशु तज



सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन ॲक्टच्या कलम ५ अन्वये दिलेले
रजिस्ट्रेशन / रिनिल सर्टिफिकेट

Certificate of Registration / Renewal under section 5 of the Bombay Nursing Homes
Registration Act, 1949 (नियम ५ अन्वये) (Under Rule 5)

क्रमांक

No.: DHB/9768/2024./20

दि. बॉम्बे नर्सिंग होम ॲक्ट, १९४९ अन्वये डॉ. श्री/ श्रीमती प्रितीलता सागर

आहले

यांचे

वात्सल्य बालकल्याण मेडिकल

येथील हॉस्पिटल / नर्सिंग होम / मॅटर्निटी होम रजिस्टर / रिनिल केले असून सदरचे हॉस्पिटल, नर्सिंग
होम व मॅटर्निटी होम चालविण्यास परवाना देण्यात येत आहे.

This is to certify that Shri/Shrimati. Dr. Pratilata Sagar
Ahale has been registered under the Bombay

Nursing Homes Registration Act, 1949 in respect of Vatsalya

Balarugnalay Situated at Mehakur

and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्रमांक :

Registration No. 279

प्रसुतिसाठी कॉट्स

Maternity 02 Cots.

रजिस्ट्रेशन दिनांक :

Date Of Registration :

इतर रुग्णांसाठी कॉट्स

Other Nursing Patients : 28 Cots.

रिनिल दिनांक

Renewal : 01.04.2027

ठिकाण :

Date : Buldhana.

सर्टिफिकेट दिल्याची दिनांक :

Date of issue of Certificate : 28.08.2024.

सदरचे सर्टिफिकेट दिनांक ३१ मार्च पर्यंत कार्यवाहीत राहिल.

This Certificate Shall be Valid up to 31th March ..2027.



Vivekanand Nursing College
Principal
Buldhana Dist. Buldhana

Civil Surgeon, Buldhana.
जिल्हा शल्य चिकित्सक, बुलडाणा
Civil Surgeon, Buldhana
(LSA)



महाराष्ट्र MAHARASHTRA
श्री कोषागार कार्यालय
महंकर
20 JAN 2026
श्री कोषागार अधिकारी
महंकर

2025
29 JAN 2026
अ.क. 5608 दि.
मुद्रांक घेणारचे नाव सखि
राहणार विवेकानंद आश्रम, विवेकानंद नगर
हस्त लेखावत करणे नाव सा. मेहंकर जि. बुलडाना
मुद्रांक घेणारची वेतना
सही. फा. [Signature]

[Signature]
M. Janir M. Khali
Stamp Vendar Mehkar
SV/L No. 1/91
No. 6307004

MEMORANDUM OF UNDERSTANDING

This memorandum of understanding (MOU) entered into this 05 Day of January 2026 at Vivekanand Ashram Hiwara Ashram Tq.Mehkar Dist.Buldana Maharashta, Party of the first part and Dr. Shubhash S.Khurad Saraswati Bal Rugnalya at Mehkar Tq. Mehkar dist.Buldana Maharashtra party of the second part.

The parties are individually referred to as party and collectively as parties and where as the parties have had discussion for generation of said agreement and have reached on understanding on the following points with respect to the party's rights and obligations towards each other and their working relationship.

IT IS HEREBY AS MUTUAL UNDERSTANDING OF THE PARTIES AGREED AND DECLARED AS FOLLOWS:

We are the authority of President Vivekanand Ashram (Dr. Shubhash S.Khurad Saraswati Bal Rugnalya at Mehkar Dist.Buldana registered under Bomby Nursing sing Home Act 1949. Willing to provide utilization of hospital for next Five years for training of students of Vivekanand College of Nursing (B.Sc.Nursing) Survey no. 23/1 C Hiwara Ashram Tq.Mehkar Dist.Buldana, Maharashtra india.

NOTED & REGISTERED
Serial 1119 Page No. 57
Document Page 01
Date: 5/02/26

[Signature]
Principal
Vivekanand Nursing College
Hiwara Bk. Tq. Mehkar Dist. Buldana

NOTARY
M. S. P. Waghmare
No. 1094
Mehkar Dist. Buldana
[Signature]
Notary M. S. P. Waghmare
Mehkar Dist. Buldana

NOTED & REGISTERED
 Sr.No.1114 Page No. 57
 Document Pages 02
 Date : 5/02/26

Our hospital is in a radius of 10 Kms. From the College building. Our hospital having ward capacity of20..... beds and the break up of beds is as follows

Our hospital having capacity of ---20--- beds & the break up of bed is as follows-

S.r.	Faculty	Intake (In beds)
1	NICU/PICU	5
2	Pediatrics Ward	15
3	OPD	50
4		
5		

In witness there of the parties that the information provided is accurate and true and have caused this memorandum of understanding to be duly executed on the date and year above mentioned.

Witness

1.Hon Chairman/Secretary Santosh Takaram Gore

Vivekanand Nursing Hospital first party

Signature
SECRETARY
 Societies and Ashram
 Mehkar Dist. Buldana

2. Hon Chairman Dr. Subhash S. Khurad

Second party.


[Signature]

Signature

Hospital's seal and stamp
Dr. Subhash S. Khurad
 M.B.B.S.,D.C.H.
 R.No. 88402
Saraswati Bai Rugnalaya
 Mehkar



BEFORE ME
[Signature]
 Adv. Sandip M. Waghmare
 NOTARY GOVT OF INDIA
 Mehkar, Dist. Buldana
 Adv. Sandip M. Waghmare
 NOTARY
 Mehkar, Dist. Buldana
 Reg. No. 40944



सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये दिलेले
रजिस्ट्रेशन / रिनिल सर्टिफिकेट

Certificate of Registration / Renewal under section 5 of the Bombay Nursing Homes
Registration Act, 1949 (नियम ५ अन्वये) (Under Rule 5)

क्रमांक

No.:DHB/...1054/2024.../20

दि.बॉम्बे नर्सिंग होम अॅक्ट, १९४९ अन्वये डॉ. श्री/ श्रीमती सुभाष शालीग्राम

खुराद यांचे सरस्वती बालरुग्णालय टिळकनगर

येथील हॉस्पिटल / नर्सिंग होम / मॅटर्निटी होम रजिस्टर / रिनिल केले असून सदरचे हॉस्पिटल, नर्सिंग
होम व मॅटर्निटी होम चालविण्यास परवाना देण्यात येत आहे.

This is to certify that Shri/Shrimati. Dr. Subhash Shaligram

Khurad has been registered under the Bombay
Nursing Homes Registration Act, 1949 in respect of Saraswati Balrughnalya
Tilak Nagar Mahakar Situated at Mahakar

and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्रमांक :

Registration No. 52

प्रसृतिसाठी कॉट्स

Maternity Cots.

रजिस्ट्रेशन दिनांक :

Date Of Registration :

इतर रुग्णांसाठी 20 कॉट्स

Other Nursing Patients Cots.

रिनीवल दिनांक

Renewal : 01-04-2027

ठिकाण :

Date : Buldana

सर्टिफिकेट दिल्याची दिनांक :

Date of issue of Certificate : 21-06-2024

सदरचे सर्टिफिकेट दिनांक ३१ मार्च पर्यंत कार्यवाहीत राहिल.

This Certificate Shall be Valid up to 31th March 2027...

SEAL


Principal
Vivekanand Nursing College
Dhara Bk. Tal. Buldana, Dist. Buldana


जिल्हा शल्य चिकित्सा अधिकारी बुलडाना
Civil Surgeon, Buldana
(LSA)



Vivekanand Ashram's
Vivekanand Nursing College

VIVEKANAND NAGAR (Hiwara Bk.) Tq. MEHKAR Dist. BULDANA - 443 301 (M.S.)

Affiliated to Maharashtra University of Health Science, Nashik, Approved by MNC, Mumbai &
Recognized by Government of Maharashtra.

Mail ID - principalvnc22@gmail.com Cont. 8087517301



Puj. Shukdas Maharaj
FOUNDER & PRESIDENT
Principal

VA/VNC/219/2026.

Date :- 03/05/2025.

To,
Medical officer,
PHC, Deulgaon Mali

Subject: - Permission for Rural posting of B.sc Nursing V Semester Students of
Vivekanand Nursing college

Respected Sir/ Madam,

With reference to above cited subject, kindly give us permission for 25 day's rural
Practical posting (**Community Health Nursing Including Environmental Science &
Epidemiology**) of **B.sc Nursing V Semester** Students at your PHC, Deulgaon Mali, as per
their curriculum requirement from 05/05/2025 to 31/05/2025 between 08: 00 am to 01: 00
pm.

Please accept it and do the needful.

Thanking You.

Medical officer
PHC Deulgaon Mali



Vivekanand Nursing College
Hiwara Bk. Tq. Mehkar Dist. Buldana

Vivekanand Nursing College
Hiwara Bk. Tq. Mehkar Dist. Buldana



Vivekanand Ashram's
Vivekanand Nursing College

VIVEKANAND NAGAR (Hivara Bk.) Tq. MEHKAR Dist. BULDANA - 443 301 (M.S.)

Affiliated to Maharashtra University of Health Science, Nashik, Approved by MNC, Mumbai, &
Recognized by Government of Maharashtra

Mail ID - principalvnc22@gmail.com Cont. 8087517301



Puj. Shukdas Maharaj
FOUNDER & PRESIDENT
Principal

Date :-

To,
Medical officer,
PHC, Deulgaon Mali

Subject: - Permission for Rural posting of B.sc Nursing VII Semester Students of
Vivekanand Nursing college

Respected Sir/ Madam,

With reference to above cited subject, kindly give us permission for 25 day's rural
Practical posting (Community Health Nursing II) of B.sc Nursing VII Semester Students
at your PHC, Deulgaon Mali, as per their curriculum requirement from _____ to
_____ between 08: 00 am to 01: 00 pm.

Please accept it and do the needful.

Thanking You.



Medical officer
PHC Deulgaon Mali

Principal
Vivekanand Nursing College
Hivara Bk. Tq. Mehkar Dist. Buldana

Principal
Vivekanand Nursing College
Hivara Bk. Tq. Mehkar Dist. Buldana